



LEGEND

- Discharge prohibited
- Northern Moreton Bay Waters
- Coastal waters (3nM limit)
- 926 metre line
- Pump-out station
- Toilet

Discharge permitted with the following restrictions:

Grade A treated sewage - Discharge permitted (i.e.no further restrictions)

Grade B treated sewage - No discharge within 700m of a person in the water, aquaculture fisheries resource (e.g. oyster lease) or a reef

Grade C treated sewage - No discharge within 926m of a person in the water, aquaculture fisheries resource (e.g.oyster lease) or a reef

MAP S31-23-3

Version 5 - effective 1 September 2018
 Copyright: The State of Queensland 2018
 Prepared 28 August 2018
 Maritime Safety Queensland - Spatial Services

Treated sewage discharge restrictions for ships other than declared ships under the *Transport Operations (Marine Pollution) Act 1995* and *Regulation 2018*

RUSSELL ISLAND to AMITY POINT
Treated sewage - ships other than declared ships

To view a copy of the licence, visit <http://creativecommons.org/licenses/by/4.0/>



SHIP-SOURCED SEWAGE – DISCHARGE REQUIREMENTS FOR THE GOLD COAST MAP SERIES (ONLY)

**Sewage discharge requirements for Ships other than Declared Ships under the
*Transport Operations (Marine Pollution) Act 1995 and Regulation 2018***

| | |
|--|--|
| | 1st September 2018 |
| All ships with a fixed toilet | For all ships with a fixed toilet sewage must first pass through a macerator which can't be bypassed before being discharged into the marine environment, unless the fixed toilet is a composting toilet. |
| Untreated sewage discharge requirements | <p>Prohibited Discharge Waters Illegal to discharge in coastal waters that are:</p> <ul style="list-style-type: none"> - a boat harbour - a canal - a marina - a designated area <ul style="list-style-type: none"> (a) the marine national park zone under the <i>Marine Parks (Moreton Bay) Zoning Plan 2008</i> <p>Smooth Waters (Includes rivers, creeks and designated smooth waters) * Illegal to discharge</p> <p>Northern Moreton Bay waters *1-15 persons on-board - Illegal to discharge within 1 nautical mile (1852 metres) of a person in the water, or an aquaculture fisheries resources, a reef, or the mean low water mark of an island or the mainland *16 or more persons on-board - Illegal to discharge</p> <p>Open Waters * Illegal to discharge within ½ nautical mile (926m) of a wharf or jetty, other than a jetty that is a marina * Illegal to discharge within 1 nautical mile (1852 metres) of a person in the water, or aquaculture fisheries resources * 7 to 15 persons - Illegal to discharge within 1 nautical mile of a reef, the low water mark of an island or the mainland * 16 or more persons - Illegal to discharge in open waters</p> |
| Treated Sewage discharge requirements | <p>Prohibited Discharge Waters Illegal to discharge in coastal waters that are:</p> <ul style="list-style-type: none"> - a boat harbour - a canal - a marina - the marine national park zone under the <i>Marine Parks (Moreton Bay) Zoning Plan 2008</i> <p>Northern Moreton Bay Waters, Smooth Waters and Open Waters Illegal to discharge Grade C Treated Sewage within ½ nautical mile (926 metres) of</p> <ul style="list-style-type: none"> - a person in the water - aquaculture fisheries resources - reef <p>Illegal to discharge Grade B Treated Sewage within 700 m of:</p> <ul style="list-style-type: none"> - a person in the water - aquaculture resources - a reef. <p>Illegal to discharge Grade A Treated Sewage in prohibited discharge waters</p> <ul style="list-style-type: none"> - No other restrictions |
| On-Board Documents | All vessels with a sewage treatment sytem are required to have the following on-board and available for inspection: |
| | <ul style="list-style-type: none"> - Sewage treatment system manufacturer's details - Sewage treatment system documentation - Sewage treatment system service manual - Sewage treatment system service records including maintenance and assessment documentation |